

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

**Product name:** #ALTROSOLOSAFE BASE INCORPORATING RAPICURE TECHNOLOGY

**Product code:** SSQB

**Use of substance / preparation:** Epoxy Resin Flooring Material

**Company name:** Altro Resins  
Unit 3, Station Road Industrial Estate  
Maiden Newton  
Dorchester  
Dorset  
DT2 0AE  
Tel: 01462 480480  
Fax: 01300 321122  
Email: info@altro.com

**2. HAZARDS IDENTIFICATION**

**Main hazards:** Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Hazardous ingredients:** BISPHENOL A/F- EPOXY RESINS MW<700 >90%  
CAS: 40216-08-8  
[Xi] R36/38; [Sens.] R43; [N] R51/53

- BENZYL ALCOHOL 1-10%  
EINECS: 202-859-9 CAS: 100-51-6  
[Xn] R20/22

**4. FIRST AID MEASURES (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.  
**Eye contact:** There may be irritation and redness. The eyes may water profusely.  
**Ingestion:** Nausea and stomach pain may occur.  
**Inhalation:** May cause slight nausea in confined spaces

**4. FIRST AID MEASURES (ACTION)**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.  
**Ingestion:** Wash out mouth with water. Consult a doctor.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.  
**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.  
**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

- Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
- Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Protective gloves.
- Eye protection:** Safety glasses. Ensure eye bath is to hand.
- Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- State:** Liquid
- Colour:** Colourless
- Odour:** Barely perceptible odour
- Evaporation rate:** Negligible
- Oxidising:** Non-oxidising (by EC criteria)
- Solubility in water:** Insoluble
- Also soluble in:** Most organic solvents.
- Viscosity:** Viscous
- Flash point°C:** >100

**10. STABILITY AND REACTIVITY**

- Stability:** Stable under normal conditions.
- Conditions to avoid:** Heat.
- Materials to avoid:** Amines.
- Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

- Hazardous ingredients:** BENZYL ALCOHOL  
IVN RAT LD50 53 mg/kg  
ORL MUS LD50 1360 mg/kg  
ORL RAT LD50 1230 mg/kg
- Chronic toxicity:** May cause sensitisation by skin contact.
- Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

**12. ECOLOGICAL INFORMATION**

- Mobility:** Readily absorbed into soil.
- Persistence and degradability:** Not biodegradable.
- Bioaccumulative potential:** Bioaccumulation potential.
- Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

**13. DISPOSAL CONSIDERATIONS**

- NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

- UN no:** 3082 **ADR Class:** 9
- Packing group:** III **Classification code:** M6
- Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT})

**Labelling:** 9



**Hazard ID no:** 90



**IMDG / IMO**

<b>UN no:</b> 3082	<b>Class:</b> 9
<b>Packing group:</b> III	<b>EmS:</b> F-A,S-F
<b>Marine pollutant:</b> .	
<b>Labelling:</b> 9	

**IATA / ICAO**

<b>UN no:</b> 3082	<b>Class:</b> 9
<b>Packing group:</b> III	
<b>Packing instructions:</b> 914	
<b>Labelling:</b> 9	

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.  
Dangerous for the environment.



**Risk phrases:** R36/38: Irritating to eyes and skin.  
R43: May cause sensitisation by skin contact.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:** S24: Avoid contact with skin.  
S37: Wear suitable gloves.  
S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

**Precautionary phrases:** Contains epoxy constituents. See information supplied by the manufacturer.

**Haz. ingredients (label):** BISPHENOL A/F- EPOXY RESINS MW<700  
**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

**Risk phrases used in s.3:** R36/38: Irritating to eyes and skin.  
R43: May cause sensitisation by skin contact.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R20/22: Harmful by inhalation and if swallowed.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.